

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1948	(719/328).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/10 12:03
L2	1948	(719/328).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/10 12:11
L3	2	("20040226031").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/10 12:56
L4	484	(719/331).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/10 12:57
L5	2	("7162596").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/10 12:57
L6	484	(719/331).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/10 12:58
L7	1003	1 & ( call\$3 or API\$3 or ( application adj2 programin adj2 interface\$3)) same ( exist \$3 or present\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/10 13:00

L8	209	6 & ( call\$3 or API\$3 or ( application adj2 programmin adj2 interface\$3)) same ( exist \$3 or present\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/10 13:00
L9	388	6 & ( call\$3 or API\$3 or ( application adj2 programmin adj2 interface\$3)) & ( exist\$3 or present\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/10 13:00
L10	4	6 & ( call\$3 or API\$3 or ( application adj2 programmin adj2 interface\$3)) same contain\$3 with self\$3 & ( exist\$3 or present\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/10 13:01
L11	28	1 & ( call\$3 or API\$3 or ( application adj2 programmin adj2 interface\$3)) same contain\$3 with self\$3 & ( exist\$3 or present\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/10 13:01
L12	108	1 & ( call\$3 or API\$3 or ( application adj2 programmin adj2 interface\$3)) & contain\$3 with self\$3 & ( exist\$3 or present\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/10 13:01
L13	28	1 & ( call\$3 or API\$3 or ( application adj2 programmin adj2 interface\$3)) same contain\$3 with self\$3 & ( exist\$3 or present\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/10 13:03
L14	4	6 & ( call\$3 or API\$3 or ( application adj2 programmin adj2 interface\$3)) same contain\$3 with self\$3 & ( exist\$3 or present\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/10 13:03
L15	1	1 & ( call\$3 or API\$3 or ( application adj2 programmin adj2 interface\$3)) same contain\$3 with self\$3 with ( exist\$3 or present \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/10 13:10

L16	0	6 & ( call\$3 or API\$3 or ( application adj2 programmin adj2 interface\$3)) same contain\$3 with self\$3 with ( exist\$3 or present \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/10 13:51
L17	1	1 & ( call\$3 or API\$3 or ( application adj2 programmin adj2 interface\$3)) same contain\$3 with self\$3 with ( exist\$3 or present \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/10 13:51
L18	5	1 & ( call\$3 or API\$3 or ( application adj2 programmin adj2 interface\$3)) same contain\$3 with self\$3 same ( exist\$3 or present \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/10 13:51
L19	0	6 & ( call\$3 or API\$3 or ( application adj2 programmin adj2 interface\$3)) same contain\$3 with self\$3 same ( exist\$3 or present \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/10 13:51
L20	212	( call\$3 or API\$3 or ( application adj2 programmin adj2 interface\$3)) same contain\$3 with self\$3 with ( exist\$3 or present \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/10 13:51
L21	1696	( call\$3 or API\$3 or ( application adj2 programmin adj2 interface\$3)) & contain\$3 with self\$3 with ( exist\$3 or present\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/10 13:52
L22	6534	( call\$3 or API\$3 or ( application adj2 programmin adj2 interface\$3)) & contain\$3 with self\$3 same ( exist \$3 or present\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/10 13:52
L23	1265	( call\$3 or API\$3 or ( application adj2 programmin adj2 interface\$3)) same contain\$3 with self\$3 same ( exist\$3 or present \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/10 13:52

L24	6454	( call\$3 or API\$3 or ( application adj2 programmin adj2 interface\$3)) same contain\$3 with self\$3 & ( exist\$3 or present\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/10 13:52
L25	1628	( call\$3 or API\$3 or ( application adj2 programmin adj2 interface\$3)) with contain \$3 with self\$3 & ( exist\$3 or present\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/10 13:52
L26	8	1 & ( call\$3 or API\$3 or ( application adj2 programmin adj2 interface\$3)) with contain \$3 with self\$3 & ( exist\$3 or present\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/10 13:52
L27	2	6 & ( call\$3 or API\$3 or ( application adj2 programmin adj2 interface\$3)) with contain \$3 with self\$3 & ( exist\$3 or present\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/10 13:52
L28	1265	( call\$3 or API\$3 or ( application adj2 programmin adj2 interface\$3)) same contain\$3 with self\$3 same ( exist\$3 or present \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/10 13:52
L29	6454	( call\$3 or API\$3 or ( application adj2 programmin adj2 interface\$3)) same contain\$3 with self\$3 & ( exist\$3 or present\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/10 13:53
L30	1628	( call\$3 or API\$3 or ( application adj2 programmin adj2 interface\$3)) with contain \$3 with self\$3 & ( exist\$3 or present\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/10 13:53
L31	217	( call\$3 or API\$3 or ( application adj2 programmin adj2 interface\$3)) with contain \$3 with self\$3 same ( exist\$3 or present\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/10 13:53

L32	1	1 & ( call\$3 or API\$3 or ( application adj2 programmin adj2 interface\$3)) with contain \$3 with self\$3 same ( exist\$3 or present\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/10 13:53
L33	0	6 & ( call\$3 or API\$3 or ( application adj2 programmin adj2 interface\$3)) with contain \$3 with self\$3 same ( exist\$3 or present\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/10 13:53
L34	1451819	( call\$3 or API\$3 or ( application adj2 programmin adj2 interface\$3)) & ( exist\$3 or present\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/10 13:53
L35	1675	1 & ( call\$3 or API\$3 or ( application adj2 programmin adj2 interface\$3)) & ( exist\$3 or present\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/10 13:53
L36	388	6 & ( call\$3 or API\$3 or ( application adj2 programmin adj2 interface\$3)) & ( exist\$3 or present\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/10 13:53
L37	209	6 & ( call\$3 or API\$3 or ( application adj2 programmin adj2 interface\$3)) same ( exist \$3 or present\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/10 13:54
L38	322680	( call\$3 or API\$3 or ( application adj2 programmin adj2 interface\$3)) same ( exist \$3 or present\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/10 13:54
L39	322680	( call\$3 or API\$3 or ( application adj2 programmin adj2 interface\$3)) same ( exist \$3 or present\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/10 13:54
L40	1628	( call\$3 or API\$3 or ( application adj2 programmin adj2 interface\$3)) with contain \$3 with self\$3 & ( exist\$3 or present\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/10 13:54

L41	6454	( call\$3 or API\$3 or ( application adj2 programmin adj2 interface\$3)) same contain\$3 with self\$3 & ( exist\$3 or present\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/10 13:54
L42	364	( call\$3 or API\$3 or ( application adj2 programmin adj2 interface\$3)) with ( select \$3 or determin\$3 or identif\$3) same contain \$3 with self\$3 & ( exist\$3 or present\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/10 13:55
L43	6	1 & ( call\$3 or API\$3 or ( application adj2 programmin adj2 interface\$3)) with ( select \$3 or determin\$3 or identif\$3) same contain \$3 with self\$3 & ( exist\$3 or present\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/10 13:55
L44	0	6 & ( call\$3 or API\$3 or ( application adj2 programmin adj2 interface\$3)) with ( select \$3 or determin\$3 or identif\$3) same contain \$3 with self\$3 & ( exist\$3 or present\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/10 13:55
L45	0	6 & ( call\$3 or API\$3 or ( application adj2 programmin adj2 interface\$3)) with ( select \$3 or determin\$3 or identif\$3) same contain \$3 with self\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/10 13:55
L46	6	1 & ( call\$3 or API\$3 or ( application adj2 programmin adj2 interface\$3)) with ( select \$3 or determin\$3 or identif\$3) same contain \$3 with self\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/10 13:55
L47	70	1 & ( call\$3 or API\$3 or ( application adj2 programmin adj2 interface\$3)) with ( select \$3 or determin\$3 or identif\$3) & contain\$3 with self\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/10 13:55

L48	70	2 & ( call\$3 or API\$3 or ( application adj2 programmin adj2 interface\$3)) with ( select \$3 or determin\$3 or identif\$3) & contain\$3 with self\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/10 13:55
L49	13165	( call\$3 or API\$3 or ( application adj2 programmin adj2 interface\$3)) with ( select \$3 or determin\$3 or identif\$3) & contain\$3 with self\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/10 13:55
L50	342691	( call\$3 or API\$3 or ( application adj2 programmin adj2 interface\$3)) with ( select \$3 or determin\$3 or identif\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/10 13:55
L51	39605	( call\$3 or API\$3 or ( application adj2 programmin adj2 interface\$3)) with ( select \$3 or determin\$3 or identif\$3) same (exist\$3 or present\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/10 14:01
L52	226	1 & ( call\$3 or API\$3 or ( application adj2 programmin adj2 interface\$3)) with ( select \$3 or determin\$3 or identif\$3) same (exist\$3 or present\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/10 14:01
L53	51	6 & ( call\$3 or API\$3 or ( application adj2 programmin adj2 interface\$3)) with ( select \$3 or determin\$3 or identif\$3) same (exist\$3 or present\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/10 14:01

12/ 10/ 2009 2:02:56 PM

C:\ Program Files\ USPTO\ EAST\ Bin\ default.wsp